








專業製造

氣動旋轉缸

鑄鐵、鋁合金、不銹鋼之複動式、單動式、二段式氣缸
球塞閥、蝶型閥、控制閥、另特殊規格氣缸之訂製





150 PSI WOG NON-SHOCK



PART NAME	MATERIAL
BODY	FC-20
END CAP	FC-20
BALL	304
STEM	304
SEAL/SEAT	TEFLON
GLAND	FCD45
GASKET	PTFE
HANDLE	FCD45
BOLT	Ss41

TEST PRESSURE: BODY 230PSI (WATER)
SEAT 100PSI(AIR)

DIMENSIONS

SIZE	IN	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4	5	6	8	10
	M/M	15	20	25	32	40	50	65	80	100	125	150	200	250
BORE SIZE		15	20	25	32	38	50	65	78	98	124	149	198	250
L END TO END		110	120	130	140	165	180	190	200	230	300	340	450	540
H HEIGHT		82	90	90	100	113	120	152	170	184	200	245	276	325
I HANDLE		133	133	133	133	215	215	295	295	385	590	590	590	590
FLANGED END		ACC. TO JIS 10K OR ANSI 150LBS SPECIFICATION												

STAINLESS STEEL 2 PEC BALL VALVE




150 PSI WOG NON-SHOCK

PART NAME	MATERIAL
BODY	304, 316
END CAP	304, 316
BALL	304, 316
STEM	304, 316
SEAL/SEAT	TEFLON
GLAND	304
GASKET	TEFLON
HANDLE	FCD45
BOLT	304

TEST PRESSURE: BODY 230PSI (WATER)
SEAT 100PSI(AIR)

DIMENSIONS


[illegible]



鑄鐵複動式氣缸




鋁合金單動式氣缸



鑄鐵大角度氣缸
分岐閥專用

鑄鐵複動式氣缸
附齒輪開啟



不銹鋼複動式氣缸

